Index to Volume 70

The Journal of Heredity, 1979

Ahmad, Q. N., et al., Inversion heterozygosity in the hybrid soybean × *Glycine soja:* evidence from a pachytene loop configuration and other meiotic irregularities, 359.

Aken'Ova, M. E., et al., Supernumerary inflorescence: a mutation of agronomic significance in okra, 270.

Akita, T., et al., Evidence for a new lethal gene causing cardiomyopathy in Japanese black calves, 255.

Allozyme polymorphisms detected in mature needle tissue of ponderosa pine, J. B. Mitton, Y. B. Linhart, K. B. Sturgeon, and J. L. Hamrick, 86.

Allozyme variability and relatedness in six crayfish species, S. T. Nemeth and M. L. Tracey, 37.

Anderson, M. K. and A. B. Schooler, Interspecific hybrids between (*Hordeum brachyantherum* L. × *H. bogdanii* Wilensky) × *H. vulgare* L., 70.

Anderson, M. M. and S. H. Jenkins, Gene frequencies in the domestic cats of Reno, Nevada: confirmation of a recent hypothesis, 267.

Anderson, R. S. and R. P. Burns, Cataract-webbed *Peromyscus:* I. Genetics of cataract in *P. maniculatus*, 27.

Animal Genetics

Ant: esterase variation at three loci in meat, 57.

Beet armyworm: haploid karyology, 427.

Boll weevil: high-insert, a dominant mutant with recessive lethal effect, 349.

Bovidae: nucleolus organizer regions in two species, 47.

Caterpillar: genetics of superoxide dismutase in forest tent and other organisms, 199.

Cats: gene frequencies in domestic of Reno, Nevada, 267.

Cattle: miniature calves, 217; blood type analyses of Creole-like cattle compared with Longhorns and mixed controls, 231; new lethal gene causing cardiomyopathy in Japanese black calves, 255; distribution of sexes, 273; new case of Robertsonian translocation in cattle, 436.

Cockroach: properties of 3-chromosome double translocation heterozygote in German, 259.

Dogs: intersexuality in family of Kerry Blue terriers, 138.

Drosophila: allozyme loci and chromosome maps in *D. subobscura* populations, 17; hyperthermia and radiation-induced dominant lethals and chromosome loss in female *D. melanogaster*, 81; dynamics of natural selection on lethal fourth chromosomes of *D. melanogaster*, 123; non-male-killing spiroplasmas in *D. hydei*, 211; variation in recombination rates in experimental populations of *D. melanogaster*, 297.

Fish and crustaceans: allozyme variability and relatedness in six species of crayfish, 37; population genetics of penaeid shrimp from Gulf of Mexico, 175; spotted leopard danios, 287; geographic variation of LDH polymorphism in *Anoplarchus purpurescens*, 329.

Fowl: green shanks and adult mortality in chickens, 44; identification of 16–17-day lethal factor in chrondrodystrophic stock of turkeys, 62—corrigenda, 146; new linkage groups and revised chromosome map of domestic fowl: corrigenda, 84; initial identification of chondrodystrophic turkey embryos, 139; influence of *bn* gene on mitosis of immature red blood cells in turkeys, 155; genetic bases for plumage color patterns in four varieties of Japanese quail, 205; genetic segregation and developmental phasing of fetal-leukemic antigen in chickens, 235; genetic analyses of an immunodeficiency in hereditary muscular dystrophic chickens, 354; white-wing, a lethal feather achromatic mutant in chickens, 373; chromosome homology between the Ross's and the Emperor goose, 395; chromosome complements of gametes and viability of embryos derived from singly and doubly heterozygous cockerels, 407; redhead, plumage color mutant in Japanese quail, 413.

Foxes: destabilizing selection as a factor in domestication, 301.

Hamster: linkage group IV—spontaneous seizure and jute, 279.

Honeybees: MDH system of Guadaloupe bees, 223.

Horses: lethal dominant roan, 145.

Mice: fertile dominant spotting, a new allele at *W* locus, 9; genetics of cataract in *Peromyscus*, 27; interactions between effects of genes on coat color and distribution of pigment, 31; pigmentation pattern of black-and-tan (a^t) ↔ black chimera, 65; dominant lethal gene test of 5-thio-D-glucose in males, 75; repeated epilation, an epidermal syndrome, 90; ashen, a new color mutation on chromosome 9, 133; reproduction and teratogenic studies of 5-thio-D-glucose, 142; fine structure of testes following intraperitoneal treatment with 5-thio-D-glucose, 194; mapping with mimic genes, 216; luteinizing hormone levels and induced luteinizing hormone release in males, 226; gene order in linkage group XVI, 239; location of *Thy-1* relative to *Lap-1* and *Mpi-1*, 250; effects of early social experience on interstrain fighting in males, 317; mutagenicity studies with 5-thio-D-glucose: cytogenetic investigation, and the sex-linked recessive lethal gene test in *Drosophila*, 325; selection for spot size, 390; epileptiform, new neurological mutant, 417.

Mosquitoes: scrimpy-eye, a sex-linked mutant in *Aedes scutellaris* complex, 51; recessive mutant, reduced palmate, on chromosome 3 in *Anopheles albimanus*, 321; updating linkage map of *Aedes aegypti*, 291; triploids and male determination in *Anopheles culicifacies*, 345.

Muntjak: identification of heterochromatin of chromosomes by fluorescent banding techniques, 438.

Rabbits: effect of strain on activity level and cytotoxicity of serum complement, 109; inheritance of lysozyme deficiency, 181; hereditary macrostomus, 369; heritability and genetic correlation between post-weaning average daily gain and gross feed efficiency, 421.

Rats: blood pressure and pituitary colloid protein in Dahl, 169.

Reptiles: chromosome inheritance in parthenogenetic lizards and evolution of allopolyploidy, 95.

Scaphiopus: gene duplication at isocitrate dehydrogenase locus, 352.

Vole: erroneous report of extreme dilution in *Microtus pennsylvanicus*, 213; dominant spotting in natural population, 441.

Arrighi, F. E., et al., Nucleolus organizer regions in two species of Bovidae, 47.

Ashen, a new color mutation on chromosome 9 of the mouse, P. W. Lane and J. E. Womack, 133.

Assignment of the H-Y antigen gene to the short arm of chromosome Y, J. M. Rary, D. K. Cummings, H. W. Jones, Jr., and J. A. Rock, 78.

Bahre, C. J., et al., Blood type analyses of Creole-like cattle: a comparison with Longhorns and mixed controls, 231.
Baker, R. H. and R. K. Sakai, Triploids and male determination in the mosquito, *Anopheles culicifacies*, 345.
Baker sunflower populations revisited, A. M. Torres and U. Diedenhofen, 275.
Ball, M. U. and C. P. Sambuco, Haploid karyology in the beet armyworm, 427.
Basic computer program for calculating indices of genetic distance and similarity, D. M. Green, 429.
Bates, L. S., et al., Genetic analysis of seed-coat types in interspecific *Vigna* hybrids via SEM, 245.
Belyaev, D. K., Destabilizing selection as a factor in domestication, 301.
Bemis, W. P., et al., Natural hybridization of two *Citrullus* species, 214.
Benedict, M. Q., et al., Reduced palmate, a recessive mutant on chromosome 3 in the mosquito, *Anopheles albimanus*, 321.
Berardino, D. D., et al.: Nucleolus organizer regions in two species of Bovidae, 47; A new case of Robertsonian translocation in cattle, 436.
Bertman, M. O. and J. R. Jungck, Group graph of the genetic code, 379.
Biology teachers: genetics educational needs and related values stances, T. R. Mertens, J. R. Hendrix, and L. W. Henriksen, 161.
Blazak, W. F. and N. S. Fechheimer, Gonosome-autosome translocations in fowl: chromosome complements of gametes and viability of embryos derived from singly and doubly heterozygous cockerels, 407.
Blood type analyses of Creole-like cattle: a comparison with Longhorns and mixed controls, R. M. Murphey, M. C. T. Penedo, C. Stormont, and C. J. Bahre, 231.
Bloom, S. E. and B. M. Searle, Influence of the *bn* gene on mitosis of immature red blood cells in turkeys, 155.
Books reviewed: Jameson, D. L., Ed., Evolutionary Genetics, 150; Medvedev, Z. A., Soviet Science, 152; Schvarts, S. S., Evolutionary Ecology, 150.
Bortolozzi, J., et al., Desired family size and sex of children in Botucatu, Brazil, 67.
Brady, K. D., et al., Reproduction and teratogenic studies of 5-thio-D-glucose in mice, 142.
Brat, S. V., et al., Heterochromatin of chromosomes of Indian muntjac as revealed by fluorescent banding techniques, 438.
Britten, E. J., et al., Inversion heterozygosity in the hybrid soybean × *Glycine soja:* evidence from a pachytene loop configuration and other meiotic irregularities, 359.
Buchanan, B., et al., Mutagenicity studies with 5-thio-D-glucose: cytogenetic investigation in mice, and the sex-linked recessive lethal gene test in *Drosophila*, 325.
Burk, L. G., et al., Interspecific hybridizations with an African tobacco, *Nicotiana africana* Merxm., 342.
Burns, J. A., et al., Interspecific hybridizations with an African tobacco, *Nicotiana africana* Merxm., 342.
Burns, R. P. and R. S. Anderson, Cataract-webbed *Peromyscus:* I. Genetics of cataract in *P. maniculatus*, 27.
Buss, E. G. and J. T. Stout, Identification of a 16–17-day lethal factor in a chondrodystrophic stock of turkeys, 62, corrigenda, 146; Initial identification of chondrodystrophic turkey embryos, 139.
Buss, G. R., Two computer programs for simulating genetics in plants, 277.
Byth, D. E., et al., Inversion heterozygosity in the hybrid soybean × *Glycine soja:* evidence from a pachytene loop configuration and other meiotic irregularities, 359.

Camara, V. M. and D. J. Prieur, Inheritance of lysozyme deficiency in rabbits, 181.
Cataract-webbed *Peromyscus:* I. Genetics of cataract in *P. maniculatus*, R. S. Anderson and R. P. Burns, 27.
Chen, K. and V. G. Meyer, Mutation in chloroplast DNA coding for the large subunit of fraction 1 protein correlated with male sterility in cotton, 431.
Cherry, M., et al., Effect of rabbit strain on activity level and cytotoxicity of serum complement: III. Comparison of four tumor target cells, 109.
Chheda, H. R., et al., Supernumerary inflorescence: a mutation of agronomic significance in okra, 270.
Chromosome homology between the Ross's and the Emperor goose, R. N. Shoffner, N. Wang, F. Lee, R. King, and J. S. Otis, 395.
Chromosome inheritance in parthenogenetic lizards and evolution of allopolyploidy in reptiles, C. J. Cole, 95.
Claxton, J. H. and M. H. Soliman, Selection against recessive genes: an exercise in introductory genetics, 283.
Clegg, M. T., et al., Dynamics of correlated genetic systems: VI. Variation in recombination rates in experimental populations of *Drosophila melanogaster*, 297.
Cochran, D. G. and M. H. Ross, Properties of a 3-chromosome double translocation heterozygote in the German cockroach, 259.
Cohen, B. M., Nikolai Rodionovich Ivanov: 1902–1978 (Obit.), 149; A personal view of Soviet science today (Rev.), 152.
Cole, C. J., Chromosome inheritance in parthenogenetic lizards and evolution of allopolypolidy in reptiles, 95.
Conde, M. F., et al., Maternal inheritance of organelle DNA's in *Zea mays-Zea perennis* reciprocal crosses, 2.
Cornuet, J.-M., The MDH system in honeybees of Guadaloupe, 223.
Corrigenda: New linkage groups and revised chromosome map of the domestic fowl, 84; Identification of a 16–17-day lethal factor in a chondrodystrophic stock of turkeys, 146.
Craig, G. B. and L. E. Munstermann, Genetics of *Aedes aegypti:* updating the linkage map, 291.
Crary, D. D. and R. R. Fox, Hereditary macrostomus in the rabbit: a model for Treacher Collins syndrome, one form of mandibulofacial dysostosis, 369.
Cummings, D. K., et al., Assignment of the H-Y antigen gene to the short arm of chromosome Y, 78.
Cytological study of three diploid species of the genus *Arachis* L., P. M. Resslar and W. C. Gregory, 13.

Dawson, P. E. and T. C. Douglas, Location of the gene for theta antigen in the mouse: III. The position of *Thy-1* relative to *Lap-1* and *Mpi-1*, 250.
Desired family size and sex of children in Botucatu, Brazil, E. Gray, J. Bortolozzi, and V. K. Hurt, 67.
Destabilizing selection as a factor in domestication, D. K. Belyaev, 301.
Developmental interaction in the pigmentary system of mice: I. Interactions between effects of genes on color of pigment and on distribution of pigmentation in the coat of the house mouse (*Mus musculus*), M. L. Lamoreux and E. S. Russell, 31.
Dickinson, D. B., et al. Model for the genetic modification of wild plant species, 309.
Diedenhofen, U. and A. M. Torres, Baker sunflower populations revisited, 275.
Dietert, R. R. and B. G. Sanders, Genetic segregation and developmental phasing of chick fetal-leukemic antigen, 235.
Distribution of sexes in cattle, E. Gray and V. K. Hurt, 273.
Dominant lethal gene test of 5-thio-D-glucose in male mice, S. K. Majumdar, L. D. Ringer, and L. McFadden, 75.
Dominant spotting in a natural population of the vole, A. J. Pinter, 441.

Doolittle, D. P., Selection for spot size in mice, 390.
Dosik, H., et al., Heterochromatin of chromosomes of Indian muntjac as revealed by fluorescent banding techniques, 438.
Douglas, T. C. and P. E. Dawson, Location of the gene for theta antigen in the mouse: III. The position of *Thy-1* relative to *Lap-1* and *Mpi-1*, 250.
Dynamics of correlated genetic systems: VI. Variation in recombination rates in experimental populations of *Drosophila melanogaster*, M. T. Clegg, C. R. Horch, and J. F. Kidwell, 297.
Dynamics of natural selection on a lethal fourth chromosome of *Drosophila:* twelve-generation study of experimental populations of *D. melanogaster*, J. F. Kidwell and M. G. Kidwell, 123.

Eckhardt, R. B., Origins of evolutionary theory (Rev.), 150; The evolutionary ecology of animals (Rev.), 150.
Effect of rabbit strain on activity level and cytotoxicity of serum complement: III. Comparison of four tumor target cells, R. R. Fox, M. Cherry, K. L. Shultz, and K. J. Salvatore, 109.
Effects of the asynaptic factor on recombination in maize, P. M. Nel, 401.
Eicher, E. M. and P. W. Lane, Gene order in linkage group XVI of the house mouse, 239.
Elena-Rosselló, J. A., Identification of a species-specific enzyme marker in *Thymus* L., 147.
El-Nil, M. M. Abo and F. W. Zettler, Mode of inheritance of foliage color in caladium, 433.
Emmerling-Thompson, M. and M. M., Nawrocky, Genetic studies of flower color in *Tradescantia*, 115.
Epileptiform mice, a new neurological mutant, J. E. Hare and A. S. Hare, 417.
Erroneous report of extreme dilution in *Microtus pennsylvanicus*, A. J. Pinter, 213.
Esen, A., et al., Genetic evidence for the origin of diploid megagametophytes in *Citrus*, 5.
Esterase variation at three loci in meat ants, R. B. Halliday, 57.
Estimated genetic variability in a maize interpopulation, A. T. Obilana, A. R. Hallauer, and O. S. Smith, 127.
Evidence for a new lethal gene causing cardiomyopathy in Japanese black calves, S. Watanabe, T. Akita, C. Itakura, and M. Goto, 255.
Evidence for postmeiotic genetic activity in pollen of *Cucurbita* species, D. L. Mulcahy, G. B. Mulcahy, and R. W. Robinson, 365.
Evolutionary ecology of animals (Rev.), R. B. Eckhardt, 150.
Exotic germ plasm of *Arachis* L. interspecific hybrids, M. P. Gregory and W. C. Gregory, 185.

Familial bisatellited extra metacentric microchromosome in man, P. N. Howard-Peebles, 347.
Fatokun, C. A., et al., Supernumerary inflorescence: a mutation of agronomic significance in okra, 270.
Fechheimer, N. S. and W. F. Blazak, Gonosome-autosome translocations in fowl: chromosome complements of gametes and viability of embryos derived from singly and doubly heterozygous cockerels. 407.
Feinstein, S., et al., Mutagenicity studies with 5-thio-D-glucose: cytogenetic investigation in mice, and the sex-linked recessive lethal gene test in *Drosophila*, 325.
Ferrara, L., et al., A new case of Robertsonian translocation in cattle, 436.
Fertile dominant spotting in the house mouse: a new allele at the *W* locus, J.-L. Guenet, G. Marchal, G. Milon, P. Tambourin, and F. Wendling, 9.
Fine structure of mouse testes following intraperitoneal treatment with 5-thio-D-glucose, S. K. Majumdar and R. Udelsman, 194.
Fox, R. R. and D. D. Crary, Hereditary macrostomus in the rabbit: a model for Treacher Collins syndrome, one form of mandibulofacial dysostosis, 369.
Fox, R. R., et al., Effect of rabbit strain on activity level and cytotoxicity of serum complement: III. Comparison of four tumor target cells, 109.
Frankel, J. S., Inheritance of spotting in the leopard danio, 287.
Freytag, G. F., Metaxenia effects on pod size development in the common bean, 444.
Fulks, B. K., et al., Natural hybridization of two *Citrullus* species, 214.
Functional relationships between genotypes and environments in behavior: effects of different kinds of early social experience on interstrain fighting in male mice, L. Levine, J. Grossfield, and R. F. Rockwell, 317.

Gene duplication at an isocitrate dehydrogenase locus in *Scaphiopus*, P. W. Sattler and J. S. Mecham, 352.
Gene frequencies in the domestic cats of Reno, Nevada: confirmation of a recent hypothesis, M. M. Anderson and S. H. Jenkins, 267.
Gene order in linkage group XVI of the house mouse, P. W. Lane and E. M. Eicher, 239.

General Genetics

Computer program for calculating indices of genetic distance and similarity, 429.
Computer programs for simulating genetics in plants, 277.
Genetic code: group graph, 379.
Genetics educational needs of biology teachers and related values stances, 161.
Model for genetic modification of wild plant species, 309.
Selection against recessive genes: exercise in introductory genetics, 283.

Genetic analyses of an immunodeficiency in hereditary muscular dystrophic chickens, K. Kline, C. J. Morton, and B. G. Sanders, 354.
Genetic analysis of seed-coat types in interspecific *Vigna* hybrids via SEM, B. R. Rajendra, K. A. Mujeeb, and L. S. Bates, 245.
Genetic bases for plumage color patterns in four varieties of Japanese quail, R. G. Somes, Jr., 205.
Genetic evidence for the origin of diploid megagametophytes in *Citrus*, A. Esen, R. K. Soost, and G. Geraci, 5.
Genetic segregation and developmental phasing of chick fetal-leukemic antigen, R. R. Dietert and B. G. Sanders, 235.
Genetics of *Aedes aegypti*: updating the linkage map, L. E. Munstermann and G. B. Craig, Jr., 291.
Genetics of *Drosophila subobscura* populations: VIII. Allozyme loci and their chromosome maps, M. Loukas, C. B. Krimbas, P. Mavragani-Tsipidou, and C. D. Kastritsis, 17.
Genetics of several morphological traits in the lentil, G. Ladizinsky, 135.
Genetics of superoxide dismutase in the forest tent caterpillar and other organisms, N. Lorimer, 199.
Genetic studies of flower color in *Tradescantia*, M. Emmerling-Thompson and M. M. Nawrocky, 115.
Genetic study of luteinizing hormone levels and induced luteinizing hormone release in male mice, D. L. Sustarsic and H. G. Wolfe, 226.
Geraci, G., et al., Genetic evidence for the origin of diploid megagametophytes in *Citrus*, 5.
Gerstel, D. U., et al., Interspecific hybridizations with an African tobacco, *Nicotiana africana* Merxm., 342.

Giemsa staining of soybean chromosomes, G. Ladizinsky, C. A. Newell, and T. Hymowitz, 415.
Gonosome-autosome translocations in fowl: chromosome complements of gametes and viability of embryos derived from singly and doubly heterozygous cockerels, W. F. Blazak and N. S. Fechheimer, 407.
Goto, M., et al., Evidence for a new lethal gene causing cardiomyopathy in Japanese black calves, 255.
Gray, E. and V. K. Hurt, Distribution of sexes in cattle, 273.
Gray, E., et al., Desired family size and sex of children in Botucatu, Brazil, 67.
Green, D. M., A basic computer program for calculating indices of genetic distance and similarity, 429.
Green shanks and adult mortality in chickens, W. H. McGibbon, 44.
Gregory, K. E. and S. L. Spahr, Miniature calves, 217.
Gregory, M. P. and W. C. Gregory, Exotic germ plasm of *Arachis* L. interspecific hybrids, 185.
Gregory, W. C. and M. P. Gregory, Exotic germ plasm of *Arachis* L. interspecific hybrids, 185.
Gregory, W. C. and P. M. Resslar, A cytological study of three diploid species of the genus *Arachis* L., 13.
Grossfield, J., et al., Functional relationships between genotypes and environments in behavior: effects of different kinds of early social experience on interstrain fighting in male mice, 317.
Grossman, M., et al., Model for the genetic modification of wild plant species, 309.
Group graph of the genetic code, M. O. Bertman, and J. R. Jungck, 379.
Guenet, J.-L., et al.: Fertile dominant spotting in the house mouse: a new allele at the *W* locus, 9; Repeated epilation: a genetic epidermal syndrome in mice, 90.

Hallauer, A. R., et al., Estimated genetic variability in a maize interpopulation, 127.
Halliday, R. B., Esterase variation at three loci in meat ants, 57.
Hamrick, J. L., et al., Allozyme polymorphisms detected in mature needle tissue of ponderosa pine, 86.
Hanna, W. W., Interspecific hybrids between pearl millet and fountaingrass, 425.
Haploid karyology in the beet armyworm, C. P. Sambuco and M. U. Ball, 427.
Hare, A. S. and J. E. Hare, Epileptiform mice, a new neurological mutant, 417.
Hare, J. E. and A. S. Hare, Epileptiform mice, a new neurological mutant, 417.
Hendrix, J. R., et al., Biology teachers: genetics educational needs and related values stances, 161.
Henriksen, L. W., et al., Biology teachers: genetics educational needs and related values stance, 161.
Hereditary macrostomus in the rabbit: a model for Treacher Collins syndrome, one form of mandibulofacial dysostosis, R. R. Fox and D. D. Crary, 369.
Heterochromatin of chromosomes of Indian muntjac as revealed by fluorescent banding techniques, R. S. Verma, S. V. Brat, and H. Dosik, 438.
High-insert: a dominant mutant in the boll weevil with recessive lethal effect, J. R. McCoy, 349.
Hintz, H. F. and L. D. Van Vleck, Lethal dominant roan in horses, 145.
Horch, C. R., et al., Dynamics of correlated genetic systems: VI. Variation in recombination rates in experimental populations of *Drosophila melanogaster*, 297.
Howard-Peebles, P. N., A familial bisatellited extra metacentric microchromosome in man, 347.
Hudson, L. W. and V. E. Wilson, Inheritance of lentil seedcoat mottle, 83.

Human Genetics

Chromosome: assignment of H-Y antigen gene to short arm of Y, 78; nature, amount and extent among two South-Indian castes, 281.
Desired family size and sex of children in Botucatu, Brazil, 67.
Microchromosome: familial bisatellited extra metacentric in man, 347.

Hurt, V. K. and E. Gray, Distribution of sexes in cattle, 273.
Hurt, V. K., et al., Desired family size and sex of children in Botucatu, Brazil, 67.
Hymowitz, T., et al., Giemsa staining of soybean chromosomes, 415.
Hyperthermia and radiation-induced dominant lethals and chromosome loss in female *Drosophila melanogaster*, S. Mittler, 81.

Iannuzzi, L., et al., A new case of Robertsonian translocation in cattle, 436.
Identification of a 16–17-day lethal factor in a chondrodystrophic stock of turkeys, J. T. Stout and E. G. Buss, 62; corrigenda, 146.
Identification of a species-specific enzyme marker in *Thymus* L., J. A. Elena-Rosselló, 147.
Influence of the *bn* gene on mitosis of immature red blood cells in turkeys, B. M. Searle and S. E. Bloom, 155.
Inheritance of blood pressure and pituitary colloid protein in Dahl rats, J. P. Rapp, R. P. McPartland, and D. L. Sustarsic, 169.
Inheritance of induced-mutant semidwarfing genes in rice, D. J. Mackill and J. N. Rutger, 335.
Inheritance of lentil seedcoat mottle, V. E. Wilson and L. W. Hudson, 83.
Inheritance of lysozyme deficiency in rabbits, D. J. Prieur and V. M. Cámara, 181.
Inheritance of microbody malate dehydrogenase in *Opuntia basilaris*, L. Sternberg and I. P. Ting, 220.
Inheritance of resistance to plantago mottle virus in *Pisum sativum* L., R. Provvidenti, 350.
Inheritance of spotting in the leopard danio, J. S. Frankel, 287.
Initial identification of chondrodystrophic turkey embryos, J. T. Stout and E. G. Buss, 139.
Intersexuality in a family of Kerry Blue terriers, J. H. Williamson, 138.
Interspecific hybridizations with an African tobacco, *Nicotiana africana* Merxm., D. U. Gerstel, J. A. Burns, and L. G. Burk, 342.
Interspecific hybrids between (*Hordeum brachyantherum* L. × *H. bogdanii* Wilensky) × *H. vulgare* L., A. B. Schooler and M. K. Anderson, 70.
Interspecific hybrids between pearl millet and fountaingrass, W. W. Hanna, 425.
Inversion heterozygosity in the hybrid soybean × *Glycine soja*: evidence from a pachytene loop configuration and other meiotic irregularities, Q. N. Ahmad, E. J. Britten, and D. E. Byth, 359.
Itakura, C., et al., Evidence for a new lethal gene causing cardiomyopathy in Japanese black calves, 255.
Ivanov, N. R.: 1902–1978 (Obit.), B. M. Cohen, 149.
Iwanaga, M. and S. J. Peloquin, Synaptic mutant affecting only megasporogenesis in potatoes, 385.

Jenkins, S. H. and M. M. Anderson, Gene frequencies in the domestic cats of Reno, Nevada: confirmation of a recent hypothesis, 267.
Johnson, W. A., et al., Redhead, a plumage color mutant in Japanese quail, 413.

Jones, Jr., H. W., et al., Assignment of the H-Y antigen gene to the short arm of chromosome Y, 78.
Jungck, J. R. and M. O. Bertman, Group graph of the genetic code, 379.

Kamemoto, H. and K. Kaneko, Karyotype and B chromosomes of *Anthurium warocqueanum*, 271.
Kaneko, K. and H. Kamemoto, Karyotype and B chromosomes of *Anthurium warocqueanum*, 271.
Karyotype and B chromosomes of *Anthurium warocqueanum*, K. Kaneko and H. Kamemoto, 271.
Kastritsis, C. D., et al., Genetics of *Drosophila subobscura* populations: VIII. Allozyme loci and their chromosome maps, 17.
Kawabe, M., et al., Non-male-killing spiroplasmas in *Drosophila hydei*, 211.
Key lecture: Destabilizing selection as a factor in domestication, D. K. Belyaev, 301.
Kidwell, J. F. and M. G. Kidwell, Dynamics of natural selection on a lethal fourth chromosome of *Drosophila*: twelve-generation study of experimental populations of *D. melanogaster*, 123.
Kidwell, J. F., et al., Dynamics of correlated genetic systems: VI. Variation in recombination rates in experimental populations of *Drosophila melanogaster*, 297.
Kidwell, M. G. and J. F. Kidwell, Dynamics of natural selection on a lethal fourth chromosome of *Drosophila*: twelve-generation study of experimental populations of *D. melanogaster*, 123.
Kieffer, N. M., et al., Nucleolus organizer regions in two species of Bovidae, 47.
Killian, C. M., et al., Reproduction and teratogenic studies of 5-thio-D-glucose in mice, 142.
King, R., et al., Chromosome homology between the Ross's and the Emperor goose, 395.
Kline, K., et al., Genetic analyses of an immunodeficiency in hereditary muscular dystrophic chickens, 354.
Koury, P., et al., Reproduction and teratogenic studies of 5-thio-D-glucose in mice, 142.
Krimbas, C. B., et al., Genetics of *Drosophila subobscura* populations: VIII. Allozyme loci and their chromosome maps, 17.

Lactate dehydrogenase—a polymorphism of *Anoplarchus purpurescens*: geographic variation in central California, C. Sassaman and R. M. Yoshiyama, 329.
Ladizinsky, G.: The genetics of several morphological traits in the lentil, 135; et al., Giemsa staining of soybean chromosomes, 415.
Lamoreux, M. L. and E. S. Russell, Developmental interaction in the pigmentary system of mice: I. Interactions between effects of genes on color of pigment and on distribution of pigmentation in the coat of the house mouse (*Mus musculus*), 31.
Lane, P. W. and E. M. Eicher, Gene order in linkage group XVI of the house mouse, 239.
Lane, P. W. and J. E. Womack, Ashen, a new color mutation on chromosome 9 of the mouse, 133.
Lee, F., et al., Chromosome homology between the Ross's and the Emperor goose, 395.
Lesley, J. W., et al., Variegation due to chromosome loss induced by a gene in the woolly mutant of the tomato, 103.
Lesley, M. M., et al., Variegation due to chromosome loss induced by a gene in the woolly mutant of the tomato, 103.
Lester, L. J., Population genetics of penaeid shrimp from the Gulf of Mexico, 175.
Lethal dominant roan in horses, H. F. Hintz and L. D. Van Vleck, 145.
Levine, L., et al., Functional relationships between genotypes and environments in behavior: effects of different kinds of early social experience on interstrain fighting in male mice, 317.
Levings, III, C. S., et al., Maternal inheritance of organelle DNA's in *Zea mays-Zea perennis* reciprocal crosses, 2.
Linhart, Y. B., et al., Allozyme polymorphisms detected in mature needle tissue of ponderosa pine, 86.
Linkage group IV in the Syrian hamster: spontaneous seizure and jute, C. H. Yoon and J. S. Peterson, 279.
Location of *Clm* in maize: a possible duplicate gene locus, D. S. Robertson, 166.
Location of the gene for theta antigen in the mouse: III. The position of *Thy-1* relative to *Lap-1* and *Mpi-1*, T. C. Douglas and P. E. Dawson, 250.
Lorimer, N., Genetics of superoxide dismutase in the forest tent caterpillar and other organisms, 199.
Loukas, M., et al., Genetics of *Drosophila subobscura* populations: VIII. Allozyme loci and their chromosome maps, 17.

Mackill, D. J. and J. N. Rutger, The inheritance of induced-mutant semidwarfing genes in rice, 335.
Majumdar, S. K. and R. Udelsman, Fine structure of mouse testes following intraperitoneal treatment with 5-thio-D-glucose, 194.
Majumdar, S. K., et al.: Dominant lethal gene test of 5-thio-D-glucose in male mice, 75; Reproduction and teratogenic studies of 5-thio-D-glucose in mice, 142; Mutagenicity studies with 5-thio-D-glucose: cytogenetic investigation in mice, and the sex-linked recessive lethal gene test in *Drosophila*, 325.
Mapping with mimic genes in the mouse, M. E. Wallace, 216.
Marchal, G., et al., Fertile dominant spotting in the house mouse: a new allele at the *W* locus, 9.
Markert, C. L. and R. M. Petters, Pigmentation pattern of a black-and-tan (a^t) ↔ black chimera, 65.
Matassino, D., et al., A new case of Robertsonian translocation in cattle, 436.
Maternal inheritance of organelle DNA's in *Zea mays-Zea perennis* reciprocal crosses, M. F. Conde, D. R. Pring, and C. S. Levings, III, 2.
Mavragani-Tsipidou, P., et al., Genetics of *Drosophila subobscura* populations: VIII. Allozyme loci and their chromosome maps, 17.
McCoy, J. R., High-insert: a dominant mutant in the boll weevil with recessive lethal effect, 349.
McFadden, L., et al., Dominant lethal gene test of 5-thio-D-glucose in male mice, 75.
McGibbon, W. H., Green shanks and adult mortality in chickens, 44.
McPartland, R. P., et al., Inheritance of blood pressure and pituitary colloid protein in Dahl rats, 169.
MDH system in honeybees of Guadaloupe, J.-M. Cornuet, 223.
Mecham, J. S. and P. W. Sattler, Gene duplication at an isocitrate dehydrogenase locus in *Scaphiopus*, 352.
Mertens, T. R., et al., Biology teachers: genetics educational needs and related values stances, 161.
Metaxenia effects on pod size development in the common bean, G. F. Freytag, 444.
Meyer, V. G. and K. Chen, Mutation in chloroplast DNA coding for the large subunit of fraction 1 protein correlated with male sterility in cotton, 431.
Milon, G., et al., Fertile dominant spotting in the house mouse: a new allele at the *W* locus, 9.
Miniature calves, K. E. Gregory and S. L. Spahr, 217.
Mittler, S., Hyperthermia and radiation-induced dominant lethals and chromosome loss in female *Drosophila melanogaster*, 81.
Mitton, J. B., et al., Allozyme polymorphisms detected in mature needle tissue of ponderosa pine, 86.

Model for the genetic modification of wild plant species, M. L. Ray, C. A. Ray, D. B. Dickinson, and M. Grossman, 309.
Mode of inheritance of foliage color in caladium, F. W. Zettler and M. M. Abo El-Nil, 433.
Morton, C. J., et al., Genetic analyses of an immunodeficiency in hereditary muscular dystrophic chickens, 354.
Mujeeb, K. A., et al., Genetic analysis of seed-coat types in interspecific *Vigna* hybrids via SEM, 245.
Mulcahy, D. L., et al., Evidence for postmeiotic genetic activity in pollen of *Cucurbita* species, 365.
Mulcahy, G. B., et al., Evidence for postmeiotic genetic activity in pollen of *Cucurbita* species, 365.
Munstermann, L. E. and G. B. Craig, Jr., Genetics of *Aedes aegypti*: updating the linkage map, 291.
Murphey, R. M., et al., Blood type analyses of Creole-like cattle: a comparison with Longhorns and mixed controls, 231.
Mursal, I. El J., Secondary associations of univalent chromosomes in haploids and hybrids of *Gossypium*, 73.
Mutagenicity studies with 5-thio-D-glucose: cytogenetic investigation in mice, and the sex-linked recessive lethal gene test in *Drosophila*, S. K. Majumdar, B. Buchanan, and S. Feinstein, 325.
Mutation in chloroplast DNA coding for the large subunit of fraction 1 protein correlated with male sterility in cotton, K. Chen and V. G. Meyer, 431.

Natoli, J., et al., Reproduction and teratogenic studies of 5-thio-D-glucose in mice, 142.
Natural hybridization of two *Citrullus* species, B. K. Fulks, J. C. Scheerens, and W. P. Bemis, 214.
Nature, amount and extent of consanguinity among two South-Indian castes, A. K. Ray, 281.
Nawrocky, M. M. and M. Emmerling-Thompson, Genetic studies of flower color in *Tradescantia*, 115.
Nel, P. M., Effects of the asynaptic factor on recombination in maize, 401.
Nemeth, S. T. and M. L. Tracey, Allozyme variability and relatedness in six crayfish species, 37.
New case of Robertsonian translocation in cattle, D. Di Berardino, L. Iannuzzi, L. Ferrara, and D. Matassino, 436.
Newell, C. A., et al., Giemsa staining of soybean chromosomes, 415.
Non-male-killing spiroplasmas in *Drosophila hydei*, T. Ota, M. Kawabe, K. Oishi, and D. F. Poulson, 211.
Nucleolus organizer regions in two species of Bovidae, D. D. Berardino, F. E. Arrighi, and N. M. Kieffer, 47.

Obilana, A. T., et al., Estimated genetic variability in a maize interpopulation, 127.
Oishi, K., et al., Non-male-killing spiroplasmas in *Drosophila hydei*, 211.
Open-bud cotton—a product of interspecific modifiers?, C. Rhyne, 80.
Origins of evolutionary theory (Rev.), R. B. Eckhardt, 150.
Ota, T., et al., Non-male-killing spiroplasmas in *Drosophila hydei*, 211.
Otis, J. S., et al., Chromosome homology between the Ross's and the Emperor goose, 395.

Peloquin, S. J. and M. Iwanaga, Synaptic mutant affecting only megasporogenesis in potatoes, 385.
Penedo, M. C. T., et al., Blood type analyses of Creole-like cattle: a comparison with Longhorns and mixed controls, 231.
Personal view of Soviet science today (Rev.), B. M. Cohen, 152.
Peterson, J. S. and C. H. Yoon, Linkage group IV in the Syrian hamster: a spontaneous seizure and jute, 279.
Petters, R. M. and C. L. Markert, Pigmentation pattern of a black-and-tan (a^t) ↔ black chimera, 65.
Pigmentation pattern of a black-and-tan (a^t) ↔ black chimera, R. M. Petters and C. L. Markert, 65.
Pinter, A. J.: Erroneous report of extreme dilution in *Microtus pennsylvanicus*, 213; Dominant spotting in a natural population of the vole, 441.

Plant Genetics

Allium cepa: three-way differentiation of sister chromatids in 5-bromodeoxyuridine-substituted chromosomes, 423.
Anthurium warocqueanum: karyotype and B chromosomes, 271.
Arachis: cytological study of three diploid species, 13; exotic germ plasm of interspecific hybrids, 185.
Bean: metaxenia effects on pod size development in *Phaseolus vulgaris* L., 444.
Caladium: inheritance of foliage color, 433.
Citrus: genetic evidence for origin of diploid megagametophytes, 5.
Cotton: secondary associations of univalent chromosomes in haploids and hybrids, 73; open-bud—a product of interspecific modifiers?, 80; mutation in chloroplast DNA coding for large subunit of fraction 1 protein correlated with male sterility, 431.
Cucurbita: evidence for postmeiotic genetic activity in pollen of species and hybrid, 365.
Date palm: tissue culture, 221.
Fountaingrass: interspecific hybrids between pearl millet and fountaingrass, 425.
Lentil: seedcoat mottle, 83; genetics of several morphological traits, 135.
Maize: maternal inheritance of organelle DNA's in *Z. mays-Z. perennis* reciprocal crosses, 2; estimated genetic variability in an interpopulation, 127; *Clm*, a possible duplicate gene locus, 166; effects of asynaptic factor on recombination, 401.
Millet: interspecific hybrids between pearl millet and fountaingrass, 425.
Okra: supernumerary inflorescence mutant, 270.
Opuntia basilaris: inheritance of microbody malate dehydrogenase, 220.
Peas: inheritance of resistance to plantago mottle virus, 350.
Pine: allozyme polymorphisms detected in mature needle tissue of ponderosa, 86.
Potatoes: synaptic mutant affecting only megasporogenesis, 385.
Rice: inheritance of induced-mutant semidwarfing genes, 335.
Soybean: evidence from pachytene loop configuration and other meiotic irregularities of inversion heterozygosity in hybrid × *Glycine soja*, 359; giemsa staining of chromosomes, 415.
Sunflower: Baker populations revisited, 275.
Teosinte: maternal inheritance of organelle DNA's in *Z. mays-Z. perennis* reciprocal crones, 2.
Thymus: identification of a species-specific enzyme marker, 147.
Tobacco: interspecific hybridizations with *Nicotiana africana* Merxm., 342.
Tomato: variegation due to chromosome loss induced by gene in woolly mutant, 103.
Tradescantia: flower color, 115.
Vigna: analysis of seed-coat types in interspecific hybrids via SEM, 245.
Watermelon: natural hybridization of two *Citrullus* species, 214.

Wheat: interspecific hybrids between (*Hordeum brachyantherum* × *H. bogdanii*) × *H. vulgare*, 70.
Wild plant species: model for genetic modification, 309.

Population genetics of penaeid shrimp from the Gulf of Mexico, L. J. Lester, 175.
Portnoy, J. A., et al., Reproduction and teratogenic studies of 5-thio-D-glucose in mice, 142.
Poulson, D. F., et al., Non-male-killing spiroplasmas in *Drosophila hydei*, 211.
Prieur, D. J. and V. M. Cámara, Inheritance of lysozyme deficiency in rabbits, 181.
Pring, D. R., et al., Maternal inheritance of organelle DNA's in *Zea mays-Zea perennis* reciprocal crosses, 2.
Properties of a 3-chromosome double translocation heterozygote in the German cockroach, M. H. Ross and D. G. Cochran, 259.
Provvidenti, R., Inheritance of resistance to plantago mottle virus in *Pisum sativum* L., 350.

Rajendra, B. R., et al., Genetic analysis of seed-coat types in interspecific *Vigna* hybrids via SEM, 245.
Rapp, J. P., et al., Inheritance of blood pressure and pituitary colloid protein in Dahl rats, 169.
Rary, J. M., et al., Assignment of the H-Y antigen gene to the short arm of chromosome Y, 78.
Ray, A. K., Nature, amount and extent of consanguinity among two South-Indian castes, 281.
Ray, C. A., et al., Model for the genetic modification of wild plant species, 309.
Ray, M. L., et al., Model for the genetic modification of wild plant species, 309.
Redhead, a plumage color mutant in Japanese quail, R. E. Truax, P. B. Siegel, and W. A. Johnson, 413.
Reduced palmate, a recessive mutant on chromosome 3 in the mosquito, *Anopheles albimanus*, J. A. Seawright, M. Q. Benedict, and S. G. Suguna, 321.
Repeated epilation: a genetic epidermal syndrome in mice, J. L. Guenet, B. Salzgeber, and M. T. Tassin, 90.
Reproduction and teratogenic studies of 5-thio-D-glucose in mice, S. K. Majumdar, K. D. Brady, L. D. Ringer, J. Natoli, C. M. Killian, J. A. Portnoy, and P. Koury, 142.
Resslar, P. M. and W. C. Gregory, A cytological study of three diploid species of the genus *Arachis* L., 13.
Rhyne, C., Open-bud cotton—a product of interspecific modifiers?, 80.
Ringer, L. D., et al.: Dominant lethal gene test of 5-thio-D-glucose in male mice, 75; Reproduction and teratogenic studies of 5-thio-D-glucose in mice, 142.
Robertson, D. S., The location of *Clm* in maize: a possible duplicate gene locus, 166.
Robinson, R. W., et al., Evidence for postmeiotic genetic activity in pollen of *Cucurbita* species, 365.
Rock, J. A., et al., Assignment of the H-Y antigen gene to the short arm of chromosome Y, 78.
Rockwell, R. F., et al., Functional relationships between genotypes and environments in behavior: effects of different kinds of early social experience on interstrain fighting in male mice, 317.
Ross, M. H. and D. G. Cochran, Properties of a 3-chromosome double translocation heterozygote in the German cockroach, 259.
Russell, E. S. and M. L. Lamoreux, Developmental interaction in the pigmentary system of mice: I. Interactions between effects of genes on color of pigment and on distribution of pigmentation in the coat of the house mouse (*Mus musculus*), 31.
Rutger, J. N. and D. J. Mackill, The inheritance of induced-mutant semidwarfing genes in rice, 335.

Sakai, R. K. and R. H. Baker, Triploids and male determination in the mosquito, *Anopheles culicifacies*, 345.
Salvatore, K. J., et al., Effect of rabbit strain on activity level and cytotoxicity of serum complement: III. Comparison of four tumor target cells, 109.
Salzgeber, B., et al., Repeated epilation: a genetic epidermal syndrome in mice, 90.
Sambuco, C. P. and M. U. Ball, Haploid karyology in the beet armyworm, 427.
Sanders, B. G. and R. R. Dietert, Genetic segregation and developmental phasing of chick fetal-leukemic antigen, 235.
Sanders, B. G., et al., Genetic analyses of an immunodeficiency in hereditary muscular dystrophic chickens, 354.
Sassaman, C. and R. M. Yoshiyama, Lactate dehydrogenase—a polymorphism of *Anoplarchus purpurescens*: geographic variation in central California, 329.
Sattler, P. W. and J. S. Mecham, Gene duplication at an isocitrate dehydrogenase locus in *Scaphiopus*. 352.
Scheerens, J. C., et al., Natural hybridization of two *Citrullus* species, 214.
Schooler, A. B. and M. K. Anderson, Interspecific hybrids between (*Hordeum brachyantherum* L. × H. bogdanii Wilensky) × *H. vulgare* L., 70.
Schvartzman, J. B., Three-way differentiation of sister chromatids in 5-bromodeoxyuridine-substituted chromosomes, 423.
Scrimpy-eye, a sex-linked mutant in the *Aedes scutellaris* complex of mosquitoes, M. Trpis, 51.
Searle, B. M. and S. E. Bloom, Influence of the *bn* gene on mitosis of immature red blood cells in turkeys, 155.
Seawright, J. A., et al., Reduced palmate, a recessive mutant on chromosome 3 in the mosquito, *Anopheles albimanus*, 321.
Secondary associations of univalent chromosomes in haploids and hybrids of *Gossypium*, I. El J. Mursal, 73.
Selection against recessive genes: an exercise in introductory genetics, M. H. Soliman and J. H. Claxton, 283.
Selection experiment with domestic rabbits: I. Heritabilities of and genetic correlation between post-weaning average daily gain and gross feed efficiency, D. W. Vogt, 421.
Selection for spot size in mice, D. P. Doolittle, 390.
Shoffner, R. N., et al., Chromosome homology between the Ross's and the Emperor goose, 395.
Shultz, K. L., et al., Effect of rabbit strain on activity level and cytotoxicity of serum complement: III. Comparison of four tumor target cells, 109.
Siegel, P. B., et al., Redhead, a plumage color mutant in Japanese quail, 413.
Smith, O. S., et al., Estimated genetic variability in a maize interpopulation, 127.
Soliman, M. H. and J. H. Claxton, Selection against recessive genes: an exercise in introductory genetics, 283.
Somes, Jr., R. G.: Genetic bases for plumage color patterns in four varieties of Japanese quail, 205; White-wing, a lethal feather achromatic mutant in the fowl, 373.
Soost, R. K., et al.: Genetic evidence for the origin of diploid megagametophytes in *Citrus*, 5; Variegation due to chromosome loss induced by a gene in the woolly mutant of the tomato, 103.
Spahr, S. L. and K. E. Gregory, Miniature calves, 217.
Sternberg L. and I. P. Ting, Inheritance of microbody malate dehydrogenase in *Opuntia basilaris*, 220.
Stormont, C., et al., Blood type analyses of Creole-like cattle: a comparison with Longhorns and mixed controls, 231.
Stout, J. T. and E. G. Buss: Identification of a 16–17-day lethal factor in a chondrodystrophic stock of turkeys, 62, corrigenda, 146; Initial identification of chondrodystrophic turkey embryos, 139.
Sturgeon, K. B., et al., Allozyme polymorphisms detected in mature needle tissue of ponderosa pine, 86.
Suguna, S. G., et al., Reduced palmate, a recessive mutant on chromosome 3 in the mosquito, *Anopheles albimanus*, 321.

Supernumerary inflorescence: a mutation of agronomic significance in okra, C. A. Fatokun, M. E. Aken'Ova, and H. R. Chheda, 270.
Sustarsic, D. L. and H. G. Wolfe, A genetic study of luteinizing hormone levels and induced luteinizing hormone release in male mice, 226.
Sustarsic, D. L., et al., Inheritance of blood pressure and pituitary colloid protein in Dahl rats, 169.
Synaptic mutant affecting only megasporogenesis in potatoes, M. Iwanaga and S. J. Peloquin, 385.

Tambourin, P., et al., Fertile dominant spotting in the house mouse: a new allele at the *W* locus, 9.
Tassin, M. T., et al., Repeated epilation: a genetic epidermal syndrome in mice, 90.
Three-way differentiation of sister chromatids in 5-bromodeoxyuridine-substituted chromosomes, J. B. Schvartzman, 423.
Ting, I. P. and L. Sternberg, Inheritance of microbody malate dehydrogenase in *Opuntia basilaris*, 220.
Tisserat, B., Tissue culture of the date palm, 221.
Tissue culture of the date palm, B. Tisserat, 221.
Torres, A. M. and U. Diedenhofen, Baker sunflower populations revisited, 275.
Tracey, M. L. and S. T. Nemeth, Allozyme variability and relatedness in six crayfish species, 37.
Triploids and male determination in the mosquito, *Anopheles culicifacies*, R. H. Baker and R. K. Sakai, 345.
Trpis, M., Scrimpy-eye, a sex-linked mutant in the *Aedes scutellaris* complex of mosquitoes, 51.
Truax, R. E., et al., Redhead, a plumage color mutant in Japanese quail, 413.
Two computer programs for simulating genetics in plants, G. R. Buss, 277.

Udelsman, R. and S. K. Majumdar, Fine structure of mouse testes following intraperitoneal treatment with 5-thio-D-glucose, 194.

Van Vleck, L. D. and H. F. Hintz, Lethal dominant roan in horses, 145.
Variegation due to chromosome loss induced by a gene in the woolly mutant of the tomato, J. W. Lesley, M. M. Lesley, and R. K. Soost, 103.
Verma, R. S., et al., Heterochromatin of chromosomes of Indian muntjac as revealed by fluorescent banding techniques, 438.
White-wing, a lethal feather achromatic mutant in the fowl, R. G. Somes, Jr., 373.
Vogt, D. W., Selection experiment with domestic rabbits: I. Heritabilities of and genetic correlation between post-weaning average daily gain and gross feed efficiency, 421.

Wallace, M. E., Mapping with mimic genes in the mouse, 216.
Wang, N., et al., Chromosome homology between the Ross's and the Emperor goose, 395.
Watanabe, S., et al., Evidence for a new lethal gene causing cardiomyopathy in Japanese black calves, 255.
Wendling, F., et al., Fertile dominant spotting in the house mouse: a new allele at the *W* locus, 9.
Williamson, J. H., Intersexuality in a family of Kerry Blue terriers, 138.
Wilson, V. E. and L. W. Hudson, Inheritance of lentil seedcoat mottle, 83.
Wolfe, H. G. and D. L. Sustarsic, A genetic study of luteinizing hormone levels and induced luteinizing hormone release in male mice, 226.
Womack, J. E. and P. W. Lane, Ashen, a new color mutation on chromosome 9 of the mouse, 133.

Yoon, C. H. and J. S. Peterson, Linkage group IV in the Syrian hamster: spontaneous seizure and jute, 279.
Yoshiyama, R. M. and C. Sassaman, Lactate dehydrogenase—a polymorphism of *Anoplarchus purpurescens*: geographic variation in central California, 329.

Zettler, F. W. and M. M. Abo El-Nil, Mode of inheritance of foliage color in caladium, 433.